

WHC Lab
Ballinree House

Prospect Upper

A63HK Co Wicklow

Report

Nr. 379 24

Biological
Laboratory
MHA
phone:
030-45080236
fax:
030-453 6069

code: your message of date
Nitschke 04.06.24 14.06.2024
arrival: 04.06.24
tests: 04.06.24 to 14.06.24
sampling: at customer; sample condition upon receipt o.k.
sampling by: customer
samples: 1 sample yeast

journal no.: V2024 013 537
page 1 of 1

analyses according to: yeasts- MEBAK vol. III, 2. edition, chapt.: 10.4 ^A
lactic acid bacteria- MEBAK vol. III, 2. edition, chapt.: 10.6 ^A



Deutsche
Akkreditierungsstelle
D-PL-14173-01-00

RESULTS

journal no. V2024	sample name	detection of		total counts E.coli/coliform bacteria ^N
		yeasts	beer lactobacilli beer pediococci	
013 537	500g Alu pack dried yeast Dehydrated LAX WHCLAX2822404 Production Mar 2024 EXP Mar 2027 after enrichment in wort	5 ml, Lysine agar: 0 colonies liquid enrichment in YM + CuSO ₄ : negative	5 ml, VLB-S7-S-Agar: 0 colonies	5 ml, Standard-Agar with Actidione: 0 colonies

VERSUCHS- UND LEHRANSTALT
FÜR BRAUEREI IN BERLIN (VLB) E.V.
-Biologisches Laboratorium-

Dr. Martin Hageböck
Laborleitung

^A: accredited, ^N: not accredited, ^U: subcontracting to accredited testing laboratory, ^F: not accredited, outsourcing to accredited testing laboratory
The test results exclusively refer to the examined samples. Only unaltered copies of the test report are allowed. Copying of extracts of the test report needs previous authorization in writing by the Research and Teaching Institute for Brewing in Berlin (VLB).

Versuchs- und Lehranstalt für
Brauerei in Berlin (VLB) e.V.
Seestraße 13 / 13353 Berlin

T +49 30 450 80-0 (Zentrale)
F +49 30 453 60 69
brewmaster@vlb-berlin.org
www.vlb-berlin.org

GESCHÄFTSFÜHRER
Dr.-Ing. Josef Fontaine
Gerhard Andreas Schreiber

if Mitglied
Mitglied der Arbeits-
gemeinschaft industrieller
Forschungsvereinigungen

BANKVERBINDUNGEN
Deutsche Bank AG
IBAN: DE71 1007 0024 0241 0132 00
Swift Code (BIC): DEUTDE33HAN

Postbank NL Berlin
IBAN: DE51 1001 0010 0015 1001 09
Swift Code (BIC): PBNKDE33

Commerzbank AG
IBAN: DE69 1008 0000 0891 6470 00
Swift Code (BIC): COMDE33HAN
Ust-IdNr: DE 136 621 351
Steuernummer: 27/029/44005
Vereinsregister-Nr.: 24043 NZ
Amtsgericht Berlin-Charlottenburg

WHC Lab
Ballinree House

Prospect Upper

A63HK Co Wicklow

Report

Nr. 380 24

Biological
Laboratory
MHA
phone:
030-45080236
fax:
030-453 6069

code: your message of date
Nitschke 04.06.24 14.06.2024
arrival: 04.06.24
tests: 04.06.24 to 14.06.24
sampling: at customer; sample condition upon receipt o.k.
sampling by: customer
samples: 1 sample yeast

journal no.: V2024 013 538
page 1 of 1

analyses according to: yeasts- MEBAK vol. III, 2. edition, chapt.: 10.4 ^A
lactic acid bacteria- MEBAK vol. III, 2. edition, chapt.: 10.6 ^A



Deutsche
Akkreditierungsstelle
D-PL-14173-01-00

RESULTS

journal no. V2024	sample name	detection of		
		yeasts	beer lactobacilli beer pediococci	total counts E.coli/coliform bacteria ^N
013 538	500g Alu pack dried yeast Saturated WHCSAT2802404 Production Mar 2024 EXP Mar 2027 after enrichment in wort	5 ml, Lysine agar: 0 colonies liquid enrichment in YM + CuSO ₄ : negative	5 ml, VLB-S7-S-Agar: 0 colonies	5 ml, Standard-Agar with Actidione: 0 colonies

VERSUCHS- UND LEHRANSTALT
FÜR BRAUEREI IN BERLIN (VLB) E.V.
-Biologisches Laboratorium-

Dr. Martin Hageböck
Laborleitung

^A: accredited, ^N: not accredited, ^U: subcontracting to accredited testing laboratory, ^F: not accredited, outsourcing to accredited testing laboratory
The test results exclusively refer to the examined samples. Only unaltered copies of the test report are allowed. Copying of extracts of the test report needs previous authorization in writing by the
Research and Teaching Institute for brewing in Berlin (VLB).

Versuchs- und Lehranstalt für
Brauerei in Berlin (VLB) e.V.
Seestraße 13 • 13353 Berlin

T +49 30 450 80-0 (Zentrale)
F +49 30 453 60 69
brewmaster@vlb-berlin.org
www.vlb-berlin.org

GESCHÄFTSFÜHRER
Dr.-Ing. Josef Fontaine
Gerhard Andreas Schreiber

AF Mitglied
Mitglied der Arbeits-
gemeinschaft industrieller
Forschungsvereinigungen

BANKVERBINDUNGEN
Deutsche Bank AG
IBAN: DE71 1007 0024 0241 0132 00
Swift Code (BIC): DEUTDE33HAN

Postbank NL Berlin
IBAN: DE51 1001 0010 0015 1001 09
Swift Code (BIC): PBNKDE33

Commerzbank AG
IBAN: DE69 1008 0000 0891 6470 00
Swift Code (BIC): COMDE33HAN
Ust-IdNr: DE 136 621 351
Steuernummer: 27/029/44005
Vereinsregister-Nr.: 24043 NZ
Amtsgericht Berlin-Charlottenburg

WHC Lab
Ballinree House

Prospect Upper

A63HK Co Wicklow

Report

Nr. 381 24

Biological
Laboratory
MHA
phone:
030-45080236
fax:
030-453 6069

code: your message of date
Nitschke 04.06.24 14.06.2024
arrival: 04.06.24
tests: 04.06.24 to 14.06.24
sampling: at customer; sample condition upon receipt o.k.
sampling by: customer
samples: 1 sample yeast

journal no.: V2024 013 539
page 1 of 1

analyses according to: yeasts- MEBAK vol. III, 2. edition, chapt.: 10.4 ^A
lactic acid bacteria- MEBAK vol. III, 2. edition, chapt.: 10.6 ^A



Deutsche
Akkreditierungsstelle
D-PL-14173-01-00

RESULTS

journal no. V2024	sample name	detection of		
		yeasts	beer lactobacilli beer pediococci	total counts E.coli/coliform bacteria ^N
013 539	500g Alu pack dried yeast Saturated WHCSAT2802410 Production May 2024 EXP May 2027 after enrichment in wort	5 ml, Lysine agar: 0 colonies liquid enrichment in YM + CuSO ₄ : negative	5 ml, VLB-S7-S-Agar: 0 colonies	5 ml, Standard-Agar with Actidione: 0 colonies

VERSUCHS- UND LEHRANSTALT
FÜR BRAUEREI IN BERLIN (VLB) E.V.
-Biologisches Laboratorium-

Dr. Martin Hageböck
Laborleitung

^A: accredited, ^N: not accredited, ^U: subcontracting to accredited testing laboratory, ^F: not accredited, outsourcing to accredited testing laboratory
The test results exclusively refer to the examined samples. Only unaltered copies of the test report are allowed. Copying of extracts of the test report needs previous authorization in writing by the Research and Teaching Institute for brewing in Berlin (VLB).

Versuchs- und Lehranstalt für
Brauerei in Berlin (VLB) e.V.
Seestraße 13 • 13353 Berlin

T +49 30 450 80-0 (Zentrale)
F +49 30 453 60 69
brewmaster@vlb-berlin.org
www.vlb-berlin.org

GESCHÄFTSFÜHRER
Dr.-Ing. Josef Fontaine
Gerhard Andreas Schreiber

AF Mitglied
Mitglied der Arbeits-
gemeinschaft industrieller
Forschungsvereinigungen

BANKVERBINDUNGEN
Deutsche Bank AG
IBAN: DE71 1007 0024 0241 0132 00
Swift Code (BIC): DEUTDE33HAN

Postbank NL Berlin
IBAN: DE51 1001 0010 0015 1001 09
Swift Code (BIC): PBNKDE33

Commerzbank AG
IBAN: DE69 1008 0000 0891 6470 00
Swift Code (BIC): COMDE33HAN
Ust-IdNr: DE 136 621 351
Steuernummer: 27/029/44005
Vereinsregister-Nr.: 24043 NZ
Amtsgericht Berlin-Charlottenburg

WHC Lab
Ballinree House

Prospect Upper

A63HK Co Wicklow

Report

Nr. 382 24

Biological
Laboratory
MHA
phone:
030-45080236
fax:
030-453 6069

code: your message of date
Nitschke 04.06.24 14.06.2024
arrival: 04.06.24
tests: 04.06.24 to 14.06.24
sampling: at customer; sample condition upon receipt o.k.
sampling by: customer
samples: 1 sample yeast

journal no.: V2024 013 540
page 1 of 1

analyses according to: yeasts- MEBAK vol. III, 2. edition, chapt.: 10.4 ^A
lactic acid bacteria- MEBAK vol. III, 2. edition, chapt.: 10.6 ^A



Deutsche
Akkreditierungsstelle
D-PL-14173-01-00

RESULTS

journal no. V2024	sample name	detection of		
		yeasts	beer lactobacilli beer pediococci	total counts E.coli/coliform bacteria ^N
013 540	500g Alu pack dried yeast MangoMadness WHCMM002404 Production FEB 2024 EXP FEB 2026 after enrichment in wort	5 ml, Lysine agar: 0 colonies liquid enrichment in YM + CuSO ₄ : negative	5 ml, VLB-S7-S-Agar: 0 colonies	5 ml, Standard-Agar with Actidione: 0 colonies

VERSUCHS- UND LEHRANSTALT
FÜR BRAUEREI IN BERLIN (VLB) e.V.
-Biologisches Laboratorium-

Dr. Martin Hageböck
Laborleitung



^A: accredited, ^N: not accredited, ^U: subcontracting to accredited testing laboratory, ^F: not accredited, outsourcing to accredited testing laboratory
The test results exclusively refer to the examined samples. Only unaltered copies of the test report are allowed. Copying of extracts of the test report needs previous authorization in writing by the Research and Teaching Institute for brewing in Berlin (VLB).

Versuchs- und Lehranstalt für
Brauerei in Berlin (VLB) e.V.
Seestraße 13 / 13353 Berlin

T +49 30 450 80-0 (Zentrale)
F +49 30 453 60 69
brewmaster@vlb-berlin.org
www.vlb-berlin.org

GESCHÄFTSFÜHRER
Dr.-Ing. Josef Fontaine
Gerhard Andreas Schreiber

IF
Mitglied
Mitglied der Arbeits-
gemeinschaft industrieller
Forschungsvereinigungen

BANKVERBINDUNGEN
Deutsche Bank AG
IBAN: DE71 1007 0024 0241 0132 00
Swift Code (BIC): DEUTDE33HAN

Postbank NL Berlin
IBAN: DE51 1001 0010 0015 1001 09
Swift Code (BIC): PBNKDE33

Commerzbank AG
IBAN: DE69 1008 0000 0891 6470 00
Swift Code (BIC): COMDE33HAN
Ust-IdNr: DE 136 621 351
Steuernummer: 27/029/44005
Vereinsregister-Nr.: 24043 NZ
Amtsgericht Berlin-Charlottenburg

WHC Lab
Ballinree House

Prospect Upper

A63HK Co Wicklow

Report

Nr. 383 24

Biological
Laboratory
MHA
phone:
030-45080236
fax:
030-453 6069

code: your message of date
Nitschke 04.06.24 14.06.2024
arrival: 04.06.24
tests: 04.06.24 to 14.06.24
sampling: at customer; sample condition upon receipt o.k.
sampling by: customer
samples: 1 sample yeast

journal no.: V2024 013 541
page 1 of 1

analyses according to: yeasts- MEBAK vol. III, 2. edition, chapt.: 10.4 ^A
lactic acid bacteria- MEBAK vol. III, 2. edition, chapt.: 10.6 ^A



Deutsche
Akkreditierungsstelle
D-PL-14173-01-00

RESULTS

journal no. V2024	sample name	detection of		total counts E.coli/coliform bacteria ^N
		yeasts	beer lactobacilli beer pediococci	
013 541	500g Alu pack dried yeast HornindalKveik WHCHO002404 Production MAR 2024 EXP MAR 2026 after enrichment in wort	5 ml, Lysine agar: 0 colonies liquid enrichment in YM + CuSO ₄ : negative	5 ml, VLB-S7-S-Agar: 0 colonies	5 ml, Standard-Agar with Actidione: 3 colonies bacteria

VERSUCHS- UND LEHRANSTALT
FÜR BRAUEREI IN BERLIN (VLB) E.V.
-Biologisches Laboratorium-

Dr. Martin Hageböck
Laborleitung

A: accredited, N: not accredited, U: subcontracting to accredited testing laboratory, F: not accredited, outsourcing to accredited testing laboratory
The test results exclusively refer to the examined samples. Only unaltered copies of the test report are allowed. Copying of extracts of the test report needs previous authorization in writing by the
Research and Teaching Institute for brewing in Berlin (VLB).

Versuchs- und Lehranstalt für
Brauerei in Berlin (VLB) e.V.
Seestraße 13 / 13353 Berlin

T +49 30 450 80-0 (Zentrale)
F +49 30 453 60 69
brewmaster@vlb-berlin.org
www.vlb-berlin.org

GESCHÄFTSFÜHRER
Dr.-Ing. Josef Fontaine
Gerhard Andreas Schreiber

AF Mitglied
Mitglied der Arbeits-
gemeinschaft industrieller
Forschungsvereinigungen

BANKVERBINDUNGEN
Deutsche Bank AG
IBAN: DE71 1007 0024 0241 0132 00
Swift Code (BIC): DEUTDE33HAN

Postbank NL Berlin
IBAN: DE51 1001 0010 0015 1001 09
Swift Code (BIC): PBNKDE33

Commerzbank AG
IBAN: DE69 1008 0000 0891 6470 00
Swift Code (BIC): COMDE33HAN
Ust-IdNr: DE 136 621 351
Steuernummer: 27/029/44005
Vereinsregister-Nr.: 24043 NZ
Amtsgericht Berlin-Charlottenburg

WHC Lab
Ballinree House

Prospect Upper

A63HK Co Wicklow

Report

Nr. 384 24

Biological
Laboratory
MHA
phone:
030-45080236
fax:
030-453 6069

code: your message of date
Nitschke 04.06.24 14.06.2024
arrival: 04.06.24
tests: 04.06.24 to 14.06.24
sampling: at customer; sample condition upon receipt o.k.
sampling by: customer
samples: 1 sample yeast

journal no.: V2024 013 542
page 1 of 1

analyses according to: yeasts- MEBAK vol. III, 2. edition, chapt.: 10.4 ^A
lactic acid bacteria- MEBAK vol. III, 2. edition, chapt.: 10.6 ^A



Deutsche
Akkreditierungsstelle
D-PL-14173-01-00

RESULTS

journal no. V2024	sample name	detection of		
		yeasts	beer lactobacilli beer pediococci	total counts E.coli/coliform bacteria ^N
013 542	500g Alu pack dried yeast HighVoltage WHCHV002404 Production MAR 2024 EXP MAR 2026 after enrichment in wort	5 ml, Lysine agar: 0 colonies liquid enrichment in YM + CuSO ₄ : negative	5 ml, VLB-S7-S-Agar: 0 colonies	5 ml, Standard-Agar with Actidione: 0 colonies

VERSUCHS- UND LEHRANSTALT
FÜR BRAUEREI IN BERLIN (VLB) E.V.
-Biologisches Laboratorium-

Dr. Martin Hageböck
Laborleitung

^A: accredited, ^N: not accredited, ^U: subcontracting to accredited testing laboratory, ^F: not accredited, outsourcing to accredited testing laboratory
The test results exclusively refer to the examined samples. Only unaltered copies of the test report are allowed. Copying of extracts of the test report needs previous authorization in writing by the Research and Teaching Institute for Brewing in Berlin (VLB).

Versuchs- und Lehranstalt für
Brauerei in Berlin (VLB) e.V.
Seestraße 13 • 13353 Berlin

T +49 30 450 80-0 (Zentrale)
F +49 30 453 60 69
brewmaster@vlb-berlin.org
www.vlb-berlin.org

GESCHÄFTSFÜHRER
Dr.-Ing. Josef Fontaine
Gerhard Andreas Schreiber

AF Mitglied
Mitglied der Arbeits-
gemeinschaft industrieller
Forschungsvereinigungen

BANKVERBINDUNGEN
Deutsche Bank AG
IBAN: DE71 1007 0024 0241 0132 00
Swift Code (BIC): DEUTDE33HAN

Postbank NL Berlin
IBAN: DE51 1001 0010 0015 1001 09
Swift Code (BIC): PBNKDE33

Commerzbank AG
IBAN: DE69 1008 0000 0891 6470 00
Swift Code (BIC): COMDE33HAN
Ust-IdNr: DE 136 621 351
Steuernummer: 27/029/44005
Vereinsregister-Nr.: 24043 NZ
Amtsgericht Berlin-Charlottenburg

WHC Lab
Ballinree House

Prospect Upper

A63HK Co Wicklow

Report

Nr. 385 24

Biological
Laboratory
MHA
phone:
030-45080236
fax:
030-453 6069

code: your message of date
Nitschke 04.06.24 14.06.2024
arrival: 04.06.24
tests: 04.06.24 to 14.06.24
sampling: at customer; sample condition upon receipt o.k.
sampling by: customer
samples: 1 sample yeast

journal no.: V2024 013 543
page 1 of 1

analyses according to: yeasts- MEBAK vol. III, 2. edition, chapt.: 10.4 ^A
lactic acid bacteria- MEBAK vol. III, 2. edition, chapt.: 10.6 ^A



Deutsche
Akkreditierungsstelle
D-PL-14173-01-00

RESULTS

journal no. V2024	sample name	detection of		total counts E.coli/coliform bacteria ^N
		yeasts	beer lactobacilli beer pediococci	
013 543	500g Alu pack dried yeast Einstein WHCE3052409 Production APR 2024 EXP APR 2026 after enrichment in wort	5 ml, Lysine agar: 0 colonies liquid enrichment in YM + CuSO ₄ : negative	5 ml, VLB-S7-S-Agar: 0 colonies	5 ml, Standard-Agar with Actidione: 0 colonies

VERSUCHS- UND LEHRANSTALT
FÜR BRAUEREI IN BERLIN (VLB) E.V.
-Biologisches Laboratorium-

Dr. Martin Hageböck
Laborleitung

^A: accredited, ^N: not accredited, ^U: subcontracting to accredited testing laboratory, ^F: not accredited, outsourcing to accredited testing laboratory
The test results exclusively refer to the examined samples. Only unaltered copies of the test report are allowed. Copying of extracts of the test report needs previous authorization in writing by the Research and Teaching Institute for brewing in Berlin (VLB).

Versuchs- und Lehranstalt für
Brauerei in Berlin (VLB) e.V.
Seestraße 13 / 13353 Berlin

T +49 30 450 80-0 (Zentrale)
F +49 30 453 60 69
brewmaster@vlb-berlin.org
www.vlb-berlin.org

GESCHÄFTSFÜHRER
Dr.-Ing. Josef Fontaine
Gerhard Andreas Schreiber

AI Mitglied
Mitglied der Arbeits-
gemeinschaft industrieller
Forschungsvereinigungen

BANKVERBINDUNGEN
Deutsche Bank AG
IBAN: DE71 1007 0024 0241 0132 00
Swift Code (BIC): DEUTDE33HAN

Postbank NL Berlin
IBAN: DE51 1001 0010 0015 1001 09
Swift Code (BIC): PBNKDE33

Commerzbank AG
IBAN: DE69 1008 0000 0891 6470 00
Swift Code (BIC): COMDE33HAN

Ust-IdNr: DE 136 621 351
Steuernummer: 27/029/44005
Vereinsregister-Nr.: 24043 NZ
Amtsgericht Berlin-Charlottenburg